

Subject Index

- Acceptable daily intake (ADI), 60, 73
Acetylaminofluorene, derivatives, 50
Acidification of aquatic systems, 99
Activation of chemicals
 carcinogenesis and mutagenesis, 37, 48, 50
 definition, 37
Acute immobilization test (EC_{50}), 87
Acute toxicity test
 dietary (LC_{50}), 86, 87, 88, 89
 oral (LD_{50}), 86, 89
ADI (see Acceptable daily intake)
Aflatoxin and Liver cancer, 56
Age
 effect on risk, 62–65
 influence in assay, 41
 modelling of, 64–65
Alcohol, consumption of, 65
Aldrin, 22
Algae, 92, 96
Algal growth test, 86, 87
Alkylating agents, 50, 64
Aluminium, 99
Ames *Salmonella* test, potency estimation, 60
Analytical studies, use in epidemiology, 56–59
Angiosarcoma, 58
Aniline, 20
Antibodies, monoclonal, DNA analysis, 33
Aphid, 94, 95
Armitage–Doll model, 59
Arsenic, 21
Arthropod, 93
Asbestos, 30, 58, 64, 65
Assay
 delayed response, 88
 dose schedule, 45–46
 early life-cycle, 90
 full life-cycle, 90, 91
 lifetime protocol, 46
 long-term and carcinogenesis, 41–47, 51, 52
 population, 87
 potency, 50–51
 quantification of results, 46–47
 Salmonella plate incorporation, 48, 49, 50, 51
 short-term
 extrapolation to long-term, 50, 51, 52, 68
 use of, 48–51, 86, 95
 time of observation of tumour response, 46
 variables in, 43–45, 46
Bacteria, 96
Banks, of data, 6, 70, 71
Batch cultures, use in assays, 87
Beetles, 94
Behaviour, abnormalities, non-human, 90, 91, 93–94, 100
Benzene, 20
Benzidine, 20
Benzo(a)pyrene, 66
Best point estimate, 76
Bioaccumulation, 88, 90
Bioanalysis (see Biological monitoring)
Biological monitoring
 definition of, 19
 models, 19
 use of, 5, 10, 20, 21, 22, 23
Biological variables, ranking of, to estimate effect, 91
Biotransformation, 18, 75
Birds, as test species, 89, 90
Bladder, carcinogenesis
 human, 56, 61
 rat, 36
Blood, use in monitoring, 20, 23

Bronchus

- carcinomas, 47
- model of, 42
- Butter yellow derivatives, 50
- Cadmium, 18, 20, 21, 88
- Calcium, 99
- Carbon dioxide, evolution, 96
- Carcinogenesis, 6, 29, 33–71
 - epidemiology, 53, 54–71
 - stages of, 33–35, 38, 39, 41, 61
- Case-control studies, use in epidemiology, 57–58
- Cell membrane and promoters, 36
- Chemical transfer in environment, 12, 13, 14, 24
- Chlorinated dibenzodioxins, 71
- Chlorination, water, 56
- Chlorophenols, 71
- Chlorophyll, 99
- Chromatography, gas, 20
- Chromosome
 - damage, 49, 71
 - mutations, 32, 33, 38, 39, 55
- Chronic toxicity tests, 90
- Cigarette smoking, 30, 56, 57, 64, 65, 66, 67, 68
- Clone, proliferation of cells, 34, 36, 37
- Cohort studies, use in epidemiology, 57
- Coke oven emissions, 68
- Colon
 - carcinomas, significance, 47
 - human, carcinogenesis, 56
- Community
 - diversity, 100
 - effects of chemicals, 91, 92, 93, 97, 98, 99, 100
 - plant, 88, 89, 93
- Comparative potency, method of cancer risk estimation, 68
- Competitive interactions, 92–93
- Confidence limit, 76
- Continuous cultures, use in assays, 87
- Copper, 100
- Correlation
 - demographic, use in epidemiology, 55–56
 - geographic, use in epidemiology, 55, 56
 - use in determining critical organ, 23
- Critical organ, definition of, 22, 23
- Croton oil, 37

Cultures, batch, use in assays, 87

Cytokinetics, use in risk estimation, 44

- Daphnia*, acute toxicity test, 86, 87, 88
- Data banks, 6, 70, 71
- DDT, 20, 22, 36
- Decomposition, organic, 98
- Deoxyribonucleic acid (*see* DNA)
- Detoxification of chemicals, 88
 - carcinogenesis and mutagenesis, 48, 50
- Development, cells, 32, 38, 39
- Diatom, 92
- Diesel engines, 68
- Diethyldiphenyltrichloroethane (*see* DDT)
- Differentiation, cells, 32, 34, 36, 37, 38, 39
- Dimethylformamide, 20
- Dioxins, 36, 71
- DNA
 - adducts, use in risk estimation, 44
 - analysis of, 33
 - binding with initiators and promoters, 35
 - carcinogenesis, 37, 38
 - damage to, as screening test, 48
 - mutations, 31–33, 38
 - repair, 32, 33, 38, 39
 - structural modifications, 32
 - synthesis in mammals, as screening test, 48
 - transcription, 31
- Domestic animals, acceptable risk, 85
- Dose
 - applied and effective, 59
 - definition of, 8
 - determination of, 21, 22
 - extrapolation, 5, 24, 30, 53, 59–60, 64–68, 73, 74, 76, 77
 - rate, importance of, 61
 - schedule, in assay, 45–46, 51
- Dose–response relationship, 42, 43, 45, 46, 49, 50, 59, 65–68, 69, 70, 71, 75, 77, 88
 - carcinogenesis and non-carcinogenesis, 74
 - model of, 59, 65–67
 - linear, 65–66, 70
 - quadratic, 66–67
 - sources of error, 66–67
- Dose–time–response
 - models of, 60–64

- relationships, 53, 58, 60-64, 71, 88
- Doses, comparison of, 50
- Drosophila*
 - genetic fitness studies, 93
 - mutations in, as screening test, 48, 51
- EC₅₀ (see Acute immobilization test)
- Ecosystem
 - aquatic, 90, 93, 96, 100
 - assessment of damage, 85
 - definition of damage, 85
 - limitations of tests, 100-102
 - models, 12, 14, 86, 95-98, 101, 102
 - generic approach, 95, 96
 - realistic, 96
 - study of, 5, 85-103
 - terrestrial, 96, 100
- Eggshell thinning, 90
- EMTD (see Estimated maximum tolerated dose)
- Endangered species, acceptable risk, 85
- Endometrium, human, carcinogenesis, 56
- Energy flow, fluctuation in environment, 85, 95
- Engines, diesel, 68
- Epidemiology
 - and carcinogenesis, 53, 54-71
 - design of studies, 58-59, 77
 - determination of carcinogenesis, 30, 33, 51, 52
 - limitations, 53-54
 - occupational, 57
 - uses, 3, 4, 29, 54, 71, 72, 73, 74, 75, 76
- Epigenetic carcinogen, definition of, 41
- Error, models, 15, 16, 25
- Esters, 36, 37
- Estimated maximum tolerated dose (EMTD), 42
- Excretion, 75
- Experimental organisms, choice of, 40, 41, 42, 89, 90, 94, 95, 105
- Expired air, use in monitoring, 20, 23
- Exposure
 - commitment, 8, 13
 - definition of, 7, 8, 25
 - human, 6, 24
 - environmental monitoring, 5
 - length in assay, 42
 - method of estimating, 7-25
 - non-human biota, 5, 6, 24
 - population, 10-11
- Fat, use in monitoring, 20
- Fertility, 75
- Field studies
 - extrapolation from short-term to long-term, 100
 - use of, 86, 87, 91, 92, 95, 97, 98, 100, 101, 102
- Fingernails, use in monitoring, 23
- Fish
 - acceptable risk, 85
 - use in tests, 93, 94, 100
- Fly, 48, 51, 93, 95, 99
- Food chain, 14, 15, 87, 94, 98, 100
- Fungus, 95
- Gastrointestinal tract, model of, 18
- Gene
 - activation, 32
 - amplification, 32
- Grass, 92
- Grazing, use in risk estimation, 92, 95
- Hair, use in monitoring, 21, 23
- Healthy worker effect, 47
- Hepatomas, mice, 47
- Histochemical markers, use in risk estimation, 44
- Histogenesis, use in risk estimation, 44
- Histopathology, use in risk estimation, 44
- Hydrocarbons, 20, 50, 51
- Immobilization test, 86
- Immunochemical markers, use in risk estimation, 44
- Initiators, 35-37, 39, 61, 66
- Insects
 - acceptable risk, 85
 - use in risk assessment, 89, 94, 95, 103
- Intake, definition of, 8
- Interspecies, variation in response (see Non-human organisms, extrapolation to humans)
- Intervention studies, use in epidemiology, 58
- Intraspecies variation
 - carcinogenesis, 66, 70
 - human, 63, 73
- Invertebrate, 100
- Iron, 99
- Kidney, use in monitoring, 20, 21

- Laboratory studies
 - use of, 73, 74, 76, 77, 91, 92, 98
 - validation of, 100
- Larynx, carcinomas in, 47
- Late-stage factor, 56
- LC₅₀ (see Acute toxicity test)
- LD₅₀ (see Acute toxicity test)
- Lead, 10, 11, 18, 19, 20
- Leaf, chlorosis, 100
- Legislation and risk assessment, 67–69, 70, 71, 98
- Legumes, 92, 95
- Leukaemia, 65
- Lifetime protocol, assay, 46
- Linear interpolation method, 74
- Liver
 - human, carcinogenesis, 56, 58, 61
 - rodent, carcinogenesis, 36
- Logging, 99, 100
- Lung
 - adenomas, mice, 42, 47
 - exposure route, 20
 - human, carcinogenesis, 56, 64, 65, 66, 68
 - model of, 18
- Lymphocyte, effect of promoters, 35
- Lymphoma
 - hamster, 50, 51
 - mice, 50, 51
 - thymus, 43
- Macroconsumer, study of, 98
- Magnesium, 99
- Malignancy, classification of, 47
- Mammary gland
 - human, carcinogenesis, 61
 - rat, carcinogenesis, 36, 47
- Markers
 - histochemical, use in risk estimation, 44
 - immunochemical, use in risk estimation, 44
- Median lethal concentration (LC₅₀), dietary (see Acute toxicity test)
- Mercury
 - exposure, 9, 10, 15
 - methyl, 21
- Mesothelioma, 58, 65
- Metals
 - aquatic systems, 100
 - soil, 96
 - toxicity of, and models, 74, 77
- Metastases and malignancy, 47
- Methylmercury, 21
- Mice
 - deer, 95
 - SENCAR, 42
 - strain A, 42
- Microbes, 96, 99
- Microcosm, 86, 91, 96, 97–98, 101, 102
- Microenvironment and carcinogenesis, 38, 39
- Microinvertebrates, 86, 96
- Micronuclei, in mice, as screening test, 48
- Microorganisms, 86
- Mineralization of nitrogen, 96
- Mink, 90
- Mite, test system, 94
- Mixtures of chemicals, 5, 53, 101
- Models
 - accessibility, 16
 - Ames *Salmonella* test, 60
 - Armitage–Doll, 59
 - classification of malignancy, 47
 - dispersion, 12, 13, 24
 - dose–response relationship, 53, 59–60
 - ecosystem, 12, 14, 86, 95–98, 101, 102
 - effect of age on risk, 64–65
 - error, 15, 16, 25
 - food chain, 12, 14, 15
 - general description of, 12
 - metabolic, 18, 19, 24, 75
 - metal toxicity, 74, 77
 - multihit, carcinogenesis, 34
 - multiple, 15, 33, 34
 - multistage, carcinogenesis, 33, 34, 60, 61–67, 69
 - neurogenic tumours, 42
 - probit, non-carcinogenic effects, 74
 - risk in man, 44
 - transport, 12, 13, 14, 24, 25
 - use
 - in estimating exposure, 9–11
 - in risk estimation, 5, 6, 30, 51, 97
 - validation, 15, 16, 17, 25, 71, 97, 102
 - Weibull, non-carcinogenic effects, 74
- Monitoring, environmental, 9–11, 16–18, 24, 25
 - and modelling, 16, 17
- Monte Carlo, 16
- Multiple effects, 69
- Multispecies tests, 86, 91–103
- Mutagenesis, 6, 29–33, 36–71
- Mutation rate, increase, 54–55

- Mutations, measurement of, 32-33
 Mycorrhiza, 92, 95
- Neoplastic transformation, mammalian cells, as screening test, 48, 49
 Nitrobenzene, 20
 Nitrosamines, 50
 No-effect-level (NOEL), use in risk assessment, 72, 73, 77, 88
 Non-carcinogenic risk estimation, 72-77
 Non-human organisms, extrapolation to humans, 29, 42, 44, 45, 47, 54, 59, 67, 68, 70, 72, 73, 74, 76, 77
 Notification, use in monitoring, 10
 Nutrient, cycling, 86, 93, 95, 96, 97, 98
 Nutrients
 fluctuation in environment, 85, 99
 leaching, 96, 100, 101
 permissible load, 87
- Oesophagus, human, carcinogenesis, 65
 Oral toxicity test, 86
 Organisms, experimental, choice of, 40, 41, 42, 89, 90, 94, 95, 105
 Organochlorine, 72, 88
 Organometallic compounds, toxicity of, and models, 74
- Pancreas carcinomas, 47
 Parasites, 94
 Parathion, 20
 Particulate exhaust, 68
 Pathology, need for, 43, 52, 75
 PCBs, 10, 71, 90, 92
 Periphyton, 100
 Pesticides, 100, 103
 Pharmaceuticals, risk estimation, 72, 77
 Phenobarbital, 36
 Phenotype, changes in, 31-33, 38, 49, 55
 Phenoxyacetic acid, 71
 Photosynthesis
 alteration of, 88, 89, 90, 99
 effect of chemicals, 86
 Phytoplankton, 87, 92, 94, 95
 Phytotrons, use of, 88
 Plant
 community, 88, 89, 93
 effects of chemicals, 92
 pigments, 88
 populations, 85, 93
 respiration, 89
 terrestrial, variables in response to chemicals, 88, 89
 variation in growth, 89
 Plant-grazer, interaction, 95
 Polychlorinated biphenyls (*see* PCBs)
 Population
 animal, fluctuations in, 85
 assay, 87
 dynamics, 98, 100
 human
 exposure, 10-11, 30
 high risk, 55
 interactions, effects on ecosystem, 91, 97
 plant
 fluctuations in, 85
 shifts in dominance, 93
 Potassium, 99
 Potency
 assays, 50-51
 estimation of, 49, 50, 60
 rodents, 49-51
 Predation, in testing, 86, 92, 93-95
 Primary producers, 87, 92
 Productivity, 96, 98, 99, 100
 Promoters, 35-37, 39, 61, 66
- Radiochromatography, DNA analysis, 33
 Radiolabelling, 87
 Radionuclides, 98
 Rectum, human, carcinogenesis, 56
 Replication
 cells, 32
 chromosome, 32
 DNA, 32
 Reproduction
 capacity, test for, 90
 Daphnia test, 86
 potential, acceptable risk, 85
 Reticulum, cell sarcoma, mice, 43
 Rhizobia, 95
 Risk, definition of, 52, 53
 Rodents as experimental organisms, 40, 41, 89, 90
 Roofing tar emissions, 68
 Ruthenium, 98
- Saccharin, 36
 Safety factor, estimate or use of, 73, 77
Salmonella, 48, 49, 50, 51, 60
 Sample size
 in epidemiology, 53, 58

- of animals in assay, 41
- Sediment, cores, use of, 96
- Serial sacrifice protocol, assay, 46
- Sex, influence in assay, 41
- Shrimp, 93
- Skin
 - carcinogenesis, 61
 - exposure route, 20
 - mouse
 - carcinogenesis, 36, 37
 - tumours, 35, 37, 42, 47
- Soil, cores, use of, 96
- Species, interaction, 100
- Stomach, human, carcinogenesis, 56
- Styrene, 20
- Sulphate, 99
- Symbiosis, use in risk estimation, 92, 95
- Synergism, 30, 38, 39

- TCDD, 36
- Terminal sacrifice protocol, assay, 46
- Tetrachlorodibenzodioxin (*see* TCDD)
- Tetradecanoylphorbol acetate, 37
- Thalassiosira pseudonana*, 92
- Thymus, lymphoma, 43
- Time-trend analyses, 55
- Tissues, use in monitoring, 21
- TPA, 37
- Transformation, of chemicals, 14, 15, 24, 97

- Tribolium*, 93
- Trichloroethylene, 20
- Toluene, 20
- Tumour
 - acceleration, definition of, 47
 - carcinogenesis, 33–47
 - induction, 47
 - experimental method, 43, 44
 - initiators and promoters, 35–57, 39
 - latency time, 43
 - multiplicity, 43

- Urea-formaldehyde, 68
- Urine, use in monitoring, 20, 21

- Vanadium, exposure, 9, 10
- Variables, in assays, 43–45
- Vertebrate–arthropod, test system, 95
- Vinyl chloride, 58

- Wall effects, 96
- Water, chlorination, 56

- X-rays, 57

- Yeast, effect of promoters, 35

- Zinc, 99
- Zooplankton, 93, 94, 95
- Zymbal gland, rat, 42