

Index

- Acid precipitation 184, 187, 194–196
- Acute phase effects
 - definition 274
 - Southern Hemisphere agriculture 331
 - temperate agriculture 285–290
- Africa, food shortages 421, 423
- Agricultural responses
 - changing climate 271–338
 - labor 343–346, 488–489
 - loss of energy subsidies 338–343, 372–417, 482, 483, 487–489
- Air pollution, *see* atmospheric pollution
- Algae, freezing resistance 10
- Alpine ecosystems 151–152
- Ameliorating factors 322–323
- Amphibians, cold tolerance 42–43
- Animal responses
 - arctic 87, 88–89, 90
 - arid and semi-arid 110–111
 - coastal 120–122
 - distributions and climate 42–43
 - food availability 31, 87, 88–89, 90, 99, 100, 105, 110–111, 117–118, 121, 153, 180–181, 215–217, 336
 - forest 110–111
 - grasslands 99, 100, 105, 153
 - marine and estuarine 117–118
 - radiation responses 205–210
 - responses to low temperature 40–47, 146–147, 148, 150–151, 152, 153, 336
 - survival following nuclear war 46–47
 - UV-B responses 180–182
- Anoxia, freshwater ecosystems 42, 141
- Anoxia, frogs 43
- Antarctica and southern ocean effects 161–163
- Argentina, food availability 371–374
- Asbestos 185
- Asia, food shortages 421, 423
- Atmospheric disturbances affecting fallout 200
- Atmospheric pollution 184–196
 - asbestos 185
 - dust 185
 - interactions 191–194
 - oxides of nitrogen 185–186
 - ozone 186–187
 - sulphur dioxide 187–191
 - temperature effects 190
- Australia
 - agricultural effects 331–333
 - ecological effects 159–160
 - food availability 374–377, 474
 - plant cold tolerance 10
- Average climatic conditions, scale effects 275–282
- Benthic ecosystems 118–119, 121, 122
- Beta radiation 210–212, 231
- Bikini atoll 226
- Bioconcentration factor (BF) 219–220
- Biomagnification of radionuclides 215–217, 219–222, 224
- Biomes 61–70
 - distribution 61–66
 - productivity 67
 - soil factors 67–70
- Birds
 - cold tolerance 44–45
 - radiation effects 209
- Blast effects 430–432, 454–456
- Bombing, conventional 446–448

Brazil

- cold episodes 7, 22
- food availability 377–380

Buds, plant

- cold tolerance 13–16, 24–26
- premature bud break 17–18

Burn injuries 432–433

- Burrowing and cold tolerance 42, 43, 44, 46

Canada, food availability 380–383

- grain simulation 298–313, 347–350

Cancer 182–183, 185, 230, 434**Carrying capacity, human 254–258, 484****Carryovers, food 363, 364, 368, 372****Casualties, human 470–481****Chilling injury, plants 6–9****China, food availability 383–386****Chromosome volume and radiation sensitivity 204–205****Chronic stresses 274**

- agricultural effects 290–316, 331–338

Citrus, cold tolerance 13, 321**Climatic effects 81–85**

- arctic and boreal ecosystems 85–91

- arid and semi-arid ecosystems 109–111

- coastal ecosystems 119–122

- forests 91–99

- freshwater ecosystems 133–143

- grasslands 99–109

- long-term changes 149, 162–163, 322, 486–487

- marine and estuary 112–133

- methods of analysis 84–85

- northern temperate agriculture 285–320

- Southern Hemisphere agriculture 329–338

- Southern Hemisphere ecosystems 158–163

- tropical agriculture 320–329

- tropical ecosystems 143–158

Climate and fire 235–238**Climatic variance 6, 56, 66, 275–282****CO₂, global cycle 162****Coastal storms 120, 157****Cold responses**

- animal 40–47, 146–147, 148, 150–151, 152, 153, 336

- human 472

- plant 4–31, 49–52, 86–88, 91–100, 110–111, 145–146, 150–153, 156–157, 160, 321

Corals 120**Costa Rica, food availability 386–389****Crop-climate models 294–295, 298–316****Crop contamination by fallout 202****Crop requirements**

- light 308, 325

- temperature 296–297, 301–304, 325, 334–335

- water 324–325

Crop UV-B effects 177–179**Cryoprotectants, animal 41–42, 43****Daylength and hardening 18–19****Degree-days 296–297, 334–335****Dehydration and cold tolerance 26–27, 42, 54****Demographic effects 489****Desertification 149, 322, 486–487****Detonation effects 428–437, 454–456, 470–472****Diet and nutrition 86, 362–363,**

- 365–366, 417–419, 474, 482, 489

Disasters, urban 440–452, 458–459**DNA 49–52, 56, 175, 177, 204****Duration of food supplies following war 367, 371–425, 478–481****Dust deposition 185****Earthquakes 441–446****Economic models 461–462****Electromagnetic Pulse (EMP) 457, 459****Energy subsidies, agriculture 322, 338–347, 372–417, 482–484, 487–488, 489****Eniwetok atoll 226****Epidemics 435–436, 448–449****Erosion 105–106, 244, 246, 486–487****Evacuation 446****Evapotranspiration 61–62, 67****External radiation dose 210–215****Extinctions of species 252, 253**

- Fallout
 local 199–200, 231–233, 411, 429, 433, 455–456, 457, 471, 487
 global 200–202
 deposition on plants 202–203
Famines 449–451, 474
Fertilizers 340–343, 372, 378–379, 400, 402, 406, 407
Fire 58–59, 90, 93, 234–247
Fire fuel loading 238
Fire ignition 240
Fire spread 238–239
Fires, ecosystem recovery 245–246
Fires, secondary 246–247
Fires and air pollution 184, 187, 194, 487
Firestorms 428–429, 441, 446–448
Fish 42, 121–122, 137, 142
Florida freezes 321
Flowering 90, 178
Food
 calculation methods 361–370
 distribution 366, 382–383, 418–419, 479, 482
 factors influencing supply 181, 187, 209, 215–216, 217, 224, 227–230, 233, 254–258
 imports 359, 364, 370–371, 378, 387, 392, 396, 399, 472–476, 482
 person-years 367
 production, chronic phase 368–370, 481–484
 stores 359–360, 363–368, 370–425, 441, 449–451, 472–476, 478–481, 483–484
Forests, radiation effects 212–213
FORNUT model 94–99
Friagems 7
Frost-free period 276–280
Fruit development 90

Genetic effects 209–210, 230, 434–435
Glycerol 42
Grasses, regeneration 59
Groundwater radiation 219, 229
Growing season 102, 105, 276–280, 299, 300, 325–326, 334–335
Growth responses, plant 49–52

Hardening
 dehardening 17
 environmental requirements 16–19
 following nuclear war 17–18, 20–21
Heavy metals 487
Hibernation 44, 45
Hiroshima, bomb damage 428–440
Hot spots, radioactive 201–202
Human diet 85–86, 362–363, 365–366, 417–419, 474, 482, 489
Human radiation exposure 197–198, 227–230

Ice formation, freshwater ecosystems 133–142
Imports
 energy 372–373, 377, 378–379, 388, 391–392, 400, 407
 food 359, 364, 370–371, 378, 387, 392, 396, 399, 472–476, 482
India, food availability 390–393
Indirect effects 248–250
Indonesia, food availability 393–395
Insects
 cold tolerance 41–42
 radiation effects 209
Internal dose, radiation 197–198, 227–230
Irrigation 322, 324, 341–342

Japan, food availability 395–398, 474–476

Kenya, food availability 399–401

Lake simulation model 138–139
Leaf Area Index 40
Leaf canopy light interception 35–40
Leningrad, siege of 448
Leukemia 434
Lichens, radiation accumulation 203
Life histories, plant 48–49
Light reduction 31–40, 115–117, 119–120, 122, 138, 148–149, 289–290, 297–298
Linear energy transfer (LET) 198
Little Ice Age 293
Long-term climate changes 149, 162–163, 322, 486–487

Mammals

- cold tolerance 45-47
- radiation effects 209-210

Mangroves 7, 121, 155-158

Medical care 438-440, 441, 470

Miami model 332

Migration, animal 46-47

Monsoons 325, 391, 392, 399, 402

Nagasaki, bomb damage 428-440

Narragansett Bay simulation model 123-133, 163-164

Neutron activation 197

New Zealand

- agricultural effects 333-338

- ecological effects 160-161

- plant cold tolerance 10

Nigeria, food availability 402-404

Nitrogen oxides 185-186

Nuclear power plant targets 199

Ozone, stratospheric 174

Ozone pollution 186-187

Paludification 246

Particulate transport 329-330

Peat fires 247

Pest outbreaks 346, 487

Philippines, food availability 405-407

Photosynthesis 32, 35-40, 175, 177-180

Phytoplankton 115-117

Plants

- distribution 4-6, 22-24, 61-66

- fallout deposition 202-203

- radiation effects 203-205, 208, 210-212

- recovery processes 55-61

- responses to low temperature 4-31, 49-52

- strategies 48-54

- UV-B effects 177-179

Pollen germination 178

Pollination 477

Pollutant effects 123, 184-196

Precipitation 94-95, 111, 151,

- 154-155, 156-157, 160, 282-283, 290, 322, 328, 374-375, 391, 392, 399, 402

Primary production 31-40, 61,

- 67, 94-95, 111, 127-130, 155,

- 179-180, 289-290

Psychological responses 436-438, 456, 457, 459-460

Pycnocline and radionuclide transport 224

Rad, defined 198

Radiation, induced 433

Radiation effects 196-215

- animal effects 205-212

- biomagnification 215-217, 219-222, 224

- freshwater ecosystems 217-223

- global fallout 200-202

- human 429, 430, 433-435, 454-456

- human doses 227-230

- local fallout 199-200

- marine ecosystems 223-227

- plant accumulation 202-203

- plant effects 204-205, 211

- terrestrial ecosystem effects 212-217

Radioactive decay 196-197

Recovery processes 54-61, 145-146,

- 148, 149, 153, 157-158, 252-254

Relative biological effectiveness

- (RBE), defined 198

Rem, defined 198

Replacement crops 317, 322-323, 474, 488

Reptiles

- cold tolerance 43-44

- radiation effects 209

Rice

- chilling injury 7, 326-327

- requirements 324-327

- simulation model 328

Rinderpest 346

Roentgen, defined 198

Scale of perturbations 247, 249, 253, 275-276, 478

Seagrasses, cold tolerance 10

Sediment accumulation of

- radionuclides 219, 220

Seed bank 54-55, 57-59, 88,

- 100, 145-146, 148, 149, 151, 247

Seed germination 58

- Seed supplies, agriculture 485-486, 488
- Seed viability 58-59
- Seedling bank 55, 58, 151
- Seeds, radiation sensitivity 205
- Serengeti simulation model 154
- Shade tolerance, plant 31-40
- Shivering 44, 46
- Simulation models 90-91, 94-99, 100-109, 123-133, 138-139, 154, 163-164, 298-313, 314-316, 328, 343, 347-350, 461-462
- Societal consequences 412, 458-460, 477
- Soil, radionuclide accumulation 202-203
- Soil erosion 105-106, 244, 246, 486-487
- South America, food shortages 422, 423
- Soviet Union, food availability 414-417
- Soybean
 - simulation models 314-316
 - temperature thresholds 314
 - UV-B damage 178
- Species interactions and indirect effects 248-250
- SPUR simulation model 100-109
- Succession 55-56, 60-61, 90, 94-99
- Supercooling
 - animal 41-42
 - plant 26-31
- Synergisms 35, 173, 191-194, 205, 212, 231, 246, 252, 477
- Tadpoles, cold tolerance 43
- Temperature stress zones 5
- Thermal radiation 432-433, 454-456
- Timing of war 54, 86-89, 92, 99-100, 104-105, 110-111, 147-148, 158, 335
- Trees, cold tolerance 16-31
- Trees, regeneration 59
- United Kingdom, food availability 407-410
- United States, food availability 411-414
- Upwellings and radionuclide transport 224
- UV-B 174-184
 - biological weighting function 175-178
 - human effects 182-184
 - marine ecosystems 179-182
 - plant effects 177-179
- Veterinary medical care 346, 377
- Water availability, plants 61-62
- Wheat yield 298-313, 332-333
- Year without a summer 292-293
- Zea mays, cold tolerance 9

