

---

# Index

---

- Absorption effects 380-1
- Acetylcholinesterase 72, 257
- Acid deposition 23
  - modeling 179, 181, 190
- Acidity measurements 104
- Activity time data 207-10
- Acute effects 375
- Adverse effects
  - definition 372
  - masked by non-adverse effects 372
- Aerosols
  - acidity measurements 104
  - analytical methods 100-7
  - deposition of 54-5
  - sampling 95-100
    - filter medium 100
- Aflatoxin B<sub>1</sub> 244, 298, 303, 304, 306
- Aflatoxin M<sub>1</sub> 304
- Age in differential susceptibility 358-9
- AGIS Health System 195
- Air, analytical methods 89-112
- Air pollution
  - concentrations in urban areas 199
  - disparities between indoor and outdoor levels 24
  - episodes 364
  - exposure studies 200
  - human exposure 18-21
  - human gastro-intestinal exposure 21-2
  - human skin exposure 21-2
  - long-range transport of 41
  - personal monitoring 23
  - plant exposure 23
  - see also* Atmospheric models
- Alcohol 364
- Aldrin 328
- Ambient (environmental) monitoring (EM), definition 51
- Ambient toxicity testing 82
  - aquatic systems 395-9
- 4-Aminobiphenyl 306
- Analytical methods 89-112
  - aerosols 100-7
  - air 89-112
  - biological materials 60-1
  - biological monitoring 336-8
  - decreasing detection levels 337
  - dietary intake 241-3
  - ecological monitoring 78-80
  - elements 59
  - particles 94-100
  - quality control 338
  - water 228-30
  - see also* under specific methods
- Analytical quality assurance (AQA) 242
- Analytical quality control (AQC) 230
- Animals
  - biological exposure markers 72, 75-6
  - cold-blooded 55
  - in terrestrial ecosystems 23
  - multicellular 55
  - warm-blooded 55
- Anodic stripping voltammetry (ASV) 229
- Anopheles* mosquitoes 263
- Antibody methods
  - for measuring carcinogen + DNA adducts 70
  - for measuring macromolecular binding 301-4
- Aquatic systems 393-404
  - ambient toxicity testing 395-9
  - field validation 402-3
  - predictive studies 399-401
  - system level effects 399-401
- Aquifers. *See* River/aquifer interfaces
- Aromatic amines 69, 298
- Aryl hydrocarbon hydroxylase (AHH) 275, 360
- Asbestos exposure 357, 363, 364
- Assimilation effects 380-1

- Association of Official Analytical Chemists 242
- Ataxia telangiectasia (AT) 316
- Atmospheric models 32-3
  - applications of 187-91
  - characterisation 182-3
  - chemical behaviour requirements 178-9
  - continental-scale problems 178
  - data requirements 180-2
  - factors influencing 176-82
  - geographically-based 175-94
  - global-scale problems 178
  - local pollution problems 177-8
  - local-scale 183
  - regional-scale problems 178
  - time and space scales 176-8
  - types of 182-7
- Atmospheric processes 179-80
  - global scale 180
  - local scale 180
  - regional scale 180
- Atmospheric transport
  - organic chemicals 189
  - trace metals 189
- Atomic absorption spectrometry 228-9, 335
- Atomic absorption spectrophotometry 103, 251
- Atomic absorption spectroscopy 291
- ATP 253
- Average rate of exposure per person 12, 15
- Average time-weighted summation formula 206
- Azodrin 82
- Bacillus sphaericus* 259
- Bacillus thuringiensis* 259
- Bayesian approach 40
- Behavioural effects 378
- Benzene 24, 312, 317, 325
  - biological monitoring of exposure to 58
- Benzo(a)pyrene 306
- Beta-2-microglobulin 63, 64, 290
- Biochemical oxygen demand (BOD) models 132-4
- Biological Guideline 342-3
- Biological markers 26, 49, 62-80
  - accidents 282
  - advantages of 73-7
  - as indicators of exposure in non-human targets 72-3
  - as indicators of exposure to carcinogens and mutagens 64-6
  - costs 77, 274
  - criteria for evaluation of 77-8, 273-80
  - definitions 269-71
  - epidemiology 74-5, 267-85
  - evaluation 280
  - historical background 267-9
  - in animal experiments 75-6
  - in clinical, preventive and occupational medicine 76-7
  - in non-human targets 65
  - intrapersonal variation 275-6
  - invasiveness 77, 274
  - legal and ethical implications of research in humans 280-2
  - limitations of 77
  - non-specific 66-8
  - poisoning 282
  - precision reproducibility 275
  - reproducibility 78
  - specificity of 63
  - temporal significance 78, 276-8
  - validation 78, 278-80
  - variation 78
- Biological materials, analysis of 60-1
- Biological monitoring 49-87, 331-46
  - advantages of 332-3
  - and environmental monitoring 342-1
  - cadmium. *See* Cadmium
  - complementarity to environmental monitoring 374
  - definitions 51, 331-2
  - developments in analytical chemistry 336-8
  - inconvenience 335
  - individual 339-40
  - limitations of 333-6
  - measurement strategies 338-9
  - number of agents to be monitored 334-5
  - peak exposures 336
  - prerequisites of 52
  - quality assurance in 58
  - surface-acting agents 335
- Biological Quality Guide (BQG) 342

- Biological responses in ecological monitoring 78–80
- Biological specimen banking 343–4
- Black box models 131, 156
- Blackfoot disease 336
- Bleomycin 311
- Blood
  - analysis for biological effects of mutagens and carcinogens 66–72
  - chemicals in 56
  - lead in 293, 338, 340, 342–3
  - metals in 336
- Blood cells 379
  - mutation screening in 67–8
- Blood dyscrasias 378
- Blood gas binding capacity 379–80
- Bloom's syndrome 316
- Bollworm 82
- Bombay, TSP concentrations 199–204
- Bombyx mori* 262
- Bones, lead in 56
- Bronchitis 361, 362
- Cadmium
  - biological monitoring 57–8, 287–307
  - concentration in urine 338
  - determination in air 291–2
  - determination in blood and urine 289, 291, 293
  - dose/response curve 292
  - early signs of kidney injury 289–90
  - effects of chronic exposure on kidney function 289–90
  - health-based limits in exposure to 290–1
  - in kidney cortex 343
  - investigations in general population 293
  - investigations in workplace conditions 291–2
  - period of exposure 292
  - ratios of mean values of Cd-B to Cd-A concentrations 292
  - recommendations for safe levels in biological material 289–90
  - selection of method of evaluation of exposure 289–90
  - toxicity mechanism 63, 287–9
  - toxicokinetics 287–9
- Cadmium in liver and kidneys 56
- c-AMP 253
- Cancer 367
  - genetic host-factors in susceptibility to 316
  - identification of populations at risk 317–18
  - induction. *See* Carcinogens
  - predisposition to 316
- Capitell capitata* 81
- CAPTEX experiment 182
- Carbamate pesticides 257
- Carbon analysis 104–7
- Carbon dioxide (CO<sub>2</sub>) 35, 187
- Carbon monoxide (CO) 26, 63, 200, 347–9, 351–4, 357, 361, 363
  - automobile commuter exposure 210–11
  - comparison of estimates of exposure distribution 213–15
  - concentration data 210–11
  - exposure estimation methods 206–7
  - exposure profiles 23–4
  - in air 339
  - in blood 339
  - micro-environment monitoring (MEM) 205–17
  - micro-environment type (MET) approach 205–17
  - passive survey sampler 108, 125
  - personal exposure monitoring 91, 119–20, 205–17
  - portable continuous monitors 108, 125
  - toxicity mechanism 63
- Carbon tetrachloride 24
- Carboxyhaemoglobin (COHb) 63
- Carboxylesterases 255–6
- Carcinogens 52
  - animal experiments 299–300
  - antibodies against 303
  - biological markers as indicators of exposure to 64–6
  - blood analysis for biological effects of 66–72
  - cytogenetic surveillance 309–22
  - faecal analysis for biological effects of 71–2
  - hypersensitivity to 316
  - macromolecular adduct determination 68–70
  - macromolecular binding of 300–6



- Carcinogens (*contd.*)  
     measurement of macromolecular  
         adducts as indicators of  
             297-307  
         mechanism of action 297-9  
         metabolism 297-8  
         noninvasive sampling 306-7  
         reaction with serum proteins 68-9  
         reactions with DNA 69-70  
         studies in humans 299-307  
         urine analysis for biological effects  
             of 71-2  
         *see also* Macromolecular binding
- Cardiovascular effects 375-6  
 Cardiovascular illness 357, 367  
 Cascade impactor 96-7  
 Central nervous system (CNS) 377  
*Ceriodaphnia reticulata* 82, 397, 398  
 c-GMP 253  
 Chemical analysis. *See* Analytical  
     methods
- Chemical exposure markers  
     peptides 254-7  
     proteins 254-7
- Chemical field equations 173-4  
 Chemical modeling 179  
 Chemical speciation 38-9  
 Chemical transformations 179  
 Chemical transport  
     in subsurface, field equations 172-4  
     modeling in unsaturated zone of  
         subsurface 163-74  
     numerical dispersion and oscillatory  
         behaviour in solution vector  
         for 164-7
- Chemicals  
     age effects on susceptibilities to  
         358-9  
     atmospheric behaviour. *See*  
         Atmospheric models biological  
         monitoring of exposure to  
         49-87  
     biologically stipulated susceptibilities  
         to 359-61  
     estimation of exposure of fish in  
         river water 220  
     estimation of human exposure in  
         water supply 219  
     in blood or urine 56  
     in food 233-48  
     in water samples 220-2  
     indicators of exposures to 393  
     long half-life 55  
     metabolites as indicators of exposure  
         to 323-30  
     modeling of transport and alteration  
         of 29-47  
     monitoring in insect tissues 250-1  
     potential environmental exposure  
         estimation 115-30  
     regulation of 364-5  
     short half-life 55  
     suspicion about hazardous effect of  
         50  
     systemic responses to exposure to  
         371-91
- Chlorinated hydrocarbon solvents 338  
 Chloroform 24  
 Chromosomal aberrations 310, 315-18  
     as indicators of exposure to  
         clastogenic agents 309  
         in peripheral lymphocytes 66  
 Chromosomal changes induced by  
     exogenous agents 310-11  
 Chromosomal instability conditions  
     316  
 Chromosome structure in insects,  
     cytogenetic methods to detect  
     changes in 262  
 Chronic effects 375  
     definition 372  
 Cigarette smoking 304, 357, 359,  
     361-4  
 Clastogenic agents, chromosomal  
     aberrations as indicators of  
     exposure to 309  
 Clean Air Act 1969 365  
 Coefficient estimation 37-8, 40-1  
 Commuter study links data base 211  
 Compartment models 33-5  
     fundamental problems of 151  
     linear 159  
     *see also* Time-integrated  
         compartment models
- Compliance monitoring 341  
 Computer-assisted scanning electron  
     microscopy 106  
 Concentration profiles 37  
 Continuous personal monitor 25  
 Convection-dispersion equation 138-9  
 Convection equation 145  
 Convolution method 21, 206  
 Costs, biological markers 274  
 Cotinine in urine 324-5

- Crystalline materials 105–6  
*Culex* mosquitoes 257  
Cyclic AMP 378  
Cyclone samplers 98  
Cytochemistry 252  
Cytochrome P-450 255, 275  
Cytogenetic surveillance 309–22  
    applied to workers populations 312–15  
    “high-exposure” occupational situations 317  
    to detect changes in chromosome structure in insects 262  
Cytogenic surveillance, significance of results for human health 315–18  
  
Darcy’s law 146  
Data collection methods 352  
Data management, monitoring systems 243  
DDE 327–8  
    variations in species sensitivity to 79  
DDT 179, 189, 239, 244, 263, 327–8, 363  
    variations in species sensitivity to 79  
Decision analysis 40  
Decision-tree models 50, 52  
Deconvolution 145  
Degradation mechanisms for chemicals in subsurface 168  
Delay–diffusion equation 143  
Delta-aminolevulinic acid dehydratase (delta-ALAD) 271  
Demographic patterns 357–70  
Demographic trends  
    and heterogeneity 366–7  
    masking progress against pollution 365–6  
Dense gas dispersion 187–8  
Diabetes 362  
Dialkylphosphoric acids 256  
Dialkylthiophosphoric acids 256  
3,4-Dichloronitrobenzene 256  
Dichotomous sampler 97–8  
Dieldrin 244, 263, 328  
Dietary exposure studies 21  
Dietary intakes  
    analytical methods 241–3  
    monitoring systems 233–48  
    of contaminants 233–48  
Diffusion coefficient 40–1  
Diffusion equation 145  
Diffusion models 37, 144, 183  
Digestion effects 380–1  
Dimethylarsinic acid (DMAA) 336  
*Diptera* 262  
Direct personal monitoring 25  
Dispersion coefficients 142–4  
Dispersion equation 146  
Dispersion models 143, 145  
Dissolved oxygen (DO) models 132–4  
DNA 254  
    carcinogens binding to 300–4  
    damage 309, 310, 311  
    interaction of carcinogens with 298  
    <sup>32</sup>P post-labeling analysis of 305  
    reaction of carcinogens and mutagens with 69–70  
    repair synthesis 67  
    synthesis  
        in peripheral lymphocytes 67  
        unscheduled 67  
Dominant lethal mutations (DLM) 261  
Dose  
    definition 44  
    to an organ 44  
    to nuclear DNA 44  
Dose–commitment method 151  
Dose/effect studies 23  
Dose markers 270  
Down’s syndrome 316  
*Drosophila* 260, 262, 263  
*Drosophila melanogaster* 260  
Dust accumulation 55  
  
Early response markers 270  
Ecological monitoring, relative value of chemical analysis and biological responses for 78–80  
Ecological responses as exposure indicators 80–3  
Economic models 135  
Ecosystems, evaluations of effects of chemicals on 394  
Ecotoxicological approaches 82  
Eigenvalues 160  
Eigenvectors 160  
Electron capture detector 250  
Electrophoresis 256, 257  
Elemental analysis 101  
ELISA 303  
Endocrine system 383–4  
Energy dispersive X-ray fluorescence (XRF) analysis 101–2

- Enhanced personal monitoring (EPM) 19, 206
- Environmental contaminants, human responses to 357–70
- Environmental monitoring 332, 374 and biological monitoring 341–2
- Environmental pollution
  - human exposure to 347–55
  - risk model of 9
- Enzyme induction by xenobiotics 255, 256
- Enzyme inhibition by xenobiotics 255
- EPA/NBS sampler 122
- Epichlorohydrin 314–15, 317
- Epidemiology
  - biological markers in 74–5, 267–85
  - characteristics of difficult diseases for 272–3
  - of food safety 233
  - systemic toxic effects 373–4
- EPM 26
- Erythrocyte oxidant stress 357
- Erythrocyte protoporphyrin (EP) 271
- Estimation methods, model selection 39–40
- Estimation models 39
- Estimation process 40
- Estuarine waters, geographical models 131–49
- Estuary flow models 138–9
- Ethylene oxide 305–6, 315, 317
- Eulerian–Lagrangian methods 32
- Eulerian method 32
- Eulerian models 184–5
- European Monitoring and Evaluation Program 190
- Evaluation data 181
- Exposure
  - calculation 43–5
  - definition 10–12, 44
  - ecosystem 45
- Exposure assessment
  - insects. *See* Insects
  - models in 29–47
  - objectives of 12
  - presentation of results 230–1
  - purposes of 116–18
  - toxicokinetics 56–7
- Exposure indicators
  - ecological responses as 80–3
  - for chemicals 393
- Exposure measurement 9–28
  - approaches for 13–15
  - direct approach 14
  - indirect approach 14–15
  - use of existing data 23–5
- Exposure monitoring
  - devices for 16
  - multimedia assessment 195–7
- Extrapolation methods 38
- Faecal analysis for biological effects of mutagens and carcinogens 71–2
- Fanconi's anaemia 316
- FCM programme 242
- Field measurements 37–8
- Field protocols 353
- Field studies 17, 353–4
  - multimedia 26
  - survey design 16
- Filter media 100
- Finite-difference approach 33
- Fish, estimation of exposure to chemicals in river water 220
- Flame ionisation detector 250
- Flow coefficients 158
- Flow equation 146
- Fluorescence spectroscopy 306
- Fluorogenic techniques 252
- Food, chemicals in 233–48
- Food consumption
  - data and sampling approaches for contaminant analysis 236
  - questionnaires 21
  - survey 21
- Food contaminants, monitoring systems 234–41
- Food safety, epidemiology of 233
- Forecasting models 39, 40
- Forest decline syndrome 23
- Forest soil pH 191
- Formaldehyde 335
  - passive sampler 109, 126–7
  - personal exposure monitoring 92, 121–2
- Galleria mellonella* 259
- Gambusia affinis* 394
- Gas chromatography (GC) 229, 250, 256
- Gas chromatography–mass spectrometry (GC–MS) 229
- Gases, personal exposure monitors 91–3
- Gastrointestinal system 380–1



- Gaussian plume model 183  
General circulation models (GCMs) 187  
Genetic changes as indicators of chemical exposure 260–4  
Genetic host-factors in susceptibility to cancer 316  
Genotoxic agents, exposure to 309  
Geographical models 32  
    atmospheric 175–94  
    estuarine waters 131–49  
    river/aquifer interfaces 131–49  
    surface waters 131–49  
    water 131–49  
Global models 36, 38, 131, 147, 187  
Glucose-6-phosphate dehydrogenase (G-6-PD) deficiency 360  
Glutathione S-transferases 255, 256  
Gravimetric devices for personal monitoring 122  
Grey box models 34, 131  
Groundwater  
    flow equation 146  
    flow transfer coefficients 41  
    models 34  
Groundwater/surface water relationships 145–7  
Gut microflora 381  
*Habrobracon juglandis* 262  
Haemocytes as possible toxicity indicators 258–9  
Haemoglobin alkylation 68  
Haemopoietic system 378–80  
Halogenated hydrocarbons 298, 299  
Harvard-EPRI sampler 122  
Health risks 52  
Health surveillance 52, 332  
Hearing disorders 377  
Hemolytic precipitators 357  
Hepatic mixed function oxidases 72  
Herbicides, methylated chlorophenoxy 250  
Heterogeneity  
    acquired factors 361  
    and demographic trends 366–7  
    and regulation of chemicals 364–5  
    models 367–8  
High molecular weight proteins 290  
High performance liquid chromatography (HPLC) 229, 251  
High-volume mass sampler 96  
Histochemistry 252  
HPLC-ICPMS 229  
HPLC-MS 229  
Human activity patterns 27  
Human exposure  
    field studies 16, 353–4  
    gastrointestinal 21–2  
    importance of accurate measures of 347–8  
    models 27  
    to air pollution 18–22  
    to chemicals in water supply 219  
    to environmental pollutants 347–55  
Human responses to environmental contaminants 357–70  
*Hyalophora cecropia* 259  
Hydraulic conductivity 168  
Hydraulic models 33  
Hydrodynamic dispersion 167  
Hydrosphere modeling 33  
Immune responses as possible toxicity indicators 258–9  
Immune system 384–5  
Immunoglobulin A (IgA) 358  
Impulse/Response Curve (IRC) 340  
Incentives in stimulating respondent cooperation in field study 17  
Inductively-coupled plasma mass spectrometry (ICPMS) 229  
Inductively-coupled plasma optical emission spectrometry (ICPOES) 229  
Initial boundary conditions 181  
Inorganics, analysis in water 228–9  
Insecticides 82, 363  
    chlorinated 250  
    resistance to 263  
Insects  
    cytogenetic methods to detect changes in chromosome structure in 262  
    detection of immediate damage at cellular and subcellular levels 251–2  
    determination of xenobiotics in tissues and organs 249–52  
    detoxication systems in 255  
    effects of exposure on metabolism and metabolites 257–8  
    exposure assessment methods 249–66

- Insects (*contd.*)
- genetic changes as indicators of
    - chemical exposure 260-4
  - haemocytes as possible toxicity
    - indicators 258-9
  - immune responses as possible
    - toxicity indicators 258-9
  - indirect effects on cells and tissues
    - 253-9
  - methods of studying effects of
    - xenobiotics 263-4
  - mutagenicity testing in 260-2
  - resistance to insecticides 263
  - respiratory metabolism 258
- Instrumental neutron activation analysis (INAA) 102-3
- Integrated exposure 11, 15, 17, 18
- Integrated personal monitor 25
- Interchange surfaces 15
- Internal dose, determination of 59-61
- Internal exposure to-metallic
  - compounds 59
- Inverse methods 145
- Ionising radiation 310
- Iron containing dusts 56
- Kidney functions 383
- Kolmogorov-Smirnov test 214
- Kriging codes 39-40
- Laboratory experiments 40-1
- Lagrangian approach 32
- Lagrangian models 185-6, 188, 190
- Lagrangian puff trajectory model 189
- Lead 179
  - in blood 293, 338, 340, 342-3
  - in bones 56
- Least-squares estimation 40
- Legislation 364-5
- Leukemia 316
- Linear donor controlled models
  - 159-60
- Liver effects 382-3
- Local models 34, 37, 38, 131, 137-8, 147, 183
- Long-range transport models 184-7, 189
- Low-molecular-weight proteins 290
- Low-molecular-weight substances,
  - assessment of effects of
    - xenobiotics on 253-4
- Lucilia cuprina* 263
- Luecophaea maderae* 253
- Lung cancer 336, 357, 362, 363
- Macromolecular adducts
  - as indicators of carcinogen
    - exposure 297-307
    - determination of 68-70
- Macromolecular binding
  - measurement of 301-4
  - by physico-chemical methods
    - 305-6
  - of carcinogens 300-6
- Magnesium 357
- Magnetopneumography 56, 274
- Mandelic acid in urine 326-7
- Mass analysis 100-1
- Mass balance equation 157
- Mass spectrometry (MS) 229
- Maximum likelihood estimates (MLE)
  - 40
- MBTH (3-methyl-2-benzothiazolinone)
  - 121
- Mercuric nitrate/potassium
  - ferrocyanide 250
- MESOS 189
- Mesothelioma 364
- Metabolism, effects of exposure in
  - insects 257-8
- Metabolites
  - as indicators of exposure to
    - chemicals 323-30
  - effects of exposure in insects 257-8
  - internal exposure to 60
- Metallic compounds, internal exposure
  - to 59
- Metals in blood and urine 336
- Meteorological data evaluation in
  - conjunction with chemical
    - measurements 186
- Methodological investigations 25
- 8-methoxycaffeine 311
- 7-methylguanine 306
- m*-methylhippuric in urine 326
- Micro-environment monitoring (MEM)
  - 19, 25, 26
  - CO 205-17
- Micro-environment types (METs)
  - 18-21, 25, 26
- Micronuclei 67
- Microscopic interferometry 252
- Microsomal oxidases 255
- MINIRAM, light scattering device 99
- Modeling process
  - flowchart of 30
  - stages of 30



- Models
  - in exposure assessment 29–47
  - simple 35–6
  - single-chemical 35
  - summary of 31
  - terminology 34–5
- Moisture content field equations 172–3
- Moisture tension 168
- Monitoring systems
  - data management 243
  - dietary intakes 233–48
  - food contaminants 234–41
- Monomethylarsonic-acid (MMAA) 336
- Morbidity records 374
- Mortality records 374
- Multifactorial effects 375
- Multimedia exposure 22
  - monitoring assessment 195–7
- Multimedia field studies 26
- Multi-species models 39
- Musca domestica* 262, 263
- Musculoskeletal system 384
- Mutagens 52
  - biological markers as indicators of exposure to 64–6
  - blood analysis for biological effects of 66–72
  - faecal analysis for biological effects of 71–2
  - hypersensitivity to 316
  - macromolecular adduct
    - determination 68–70
  - reactions with DNA 69–70
  - testing in insects 260–2
  - urine analysis for biological effects of 71–2
- Mutation screening in blood cells 67–8
- Myzus persicae* 257
- National Ambient Air Quality Standards (NAAQS) 347–8, 354
- National Food Disappearance data 239
- Nephelometers 99
- Nervous systems 376–8
- Neurobehavioural functional deficits 378
- Neurochemical changes 378
- Neurological test procedures 376
- Neuropathological changes 378
- Neurotoxicity 64
- Neutron-activation analysis 56, 59, 274
- N-3-(2-hydroxyethyl) histidine 306
- Nicotine in urine 324–5
- Nitrogen dioxide (NO<sub>2</sub>) 26, 200
  - personal exposure monitoring 91–2, 120
  - portable continuous monitors 108, 125
- Nitrosamines 298
- Nitrosodimethylamine 244
- Nitrous oxide (N<sub>2</sub>O) 187, 357
- Non-adverse effects
  - definition 372
  - masking adverse effects 372
- Non-human exposure assessment 22–3
- Non-specific effects 375, 381
- Non-stochastic effects 375
- Nucleic acids
  - changes caused by exposure to xenobiotics 254
  - detection of effects of xenobiotics on 254
- Numerical diffusion 145
- Numerical dispersion in solution vector for chemical transport 164–7
- Numerical problems 38
- Numerical solution 38
- Nutritional deficiencies 359, 362
- Occupational Safety and Health Act (OSHA) 1970 365
- Octanol/water partition coefficient 168
- Organic chemicals 105, 109, 126, 179
  - analysis in water 229–30
  - atmospheric transport 189
- Organochlorine pesticides 93, 328
  - personal exposure monitoring 122
- Organonitrogen pesticides 93
- Organophosphates 82
- Organophosphorus pesticides 93, 251, 256, 257
- Oscillatory behaviour in solution vector for chemical transport 164–7
- Outdoor monitoring station data 25
- Ozone 357
- <sup>32</sup>P post-labeling analysis of DNA 305
- <sup>32</sup>P post-labeling methods 69
- P-450 cytochrome 255, 275
- Parameter identification 144–5
- para*-rosaniline methods 121
- Partial hepatectomy 382
- Particles
  - analytical methods 94–100
  - deposition of 54–5
  - individual particle analysis 106

Particles (*contd.*)

- personal exposure monitoring 94, 122-3
- respirable particulate matter 108-9, 125-6
- size distributions and origins of 94-5
- see also* RSP (respirable suspended particulate matter); Total suspended particulate matter (TSP)
- PC-naphthalenes (PCNs) 337
- Peptides, chemical exposure markers 254-7
- Peripheral lymphocytes 310, 311, 314, 315
  - chromosome aberrations in 66
  - DNA synthesis in 67
  - sister chromatid exchanges (SCE) in 66-7
- Personal exposure monitoring 25, 89-100, 349, 353
  - carbon monoxide (CO) 91, 119-20, 205-17
  - formaldehyde 92, 121-2
  - gases 91-3
  - instrumentation for 116-18
  - nitrogen dioxide (NO<sub>2</sub>) 91-2, 120
  - organochlorine pesticides 122
  - particles 94, 122-3
  - pesticides 93, 122
  - polycyclic aromatic hydrocarbons (PAHs) 123-4
  - polynuclear aromatic hydrocarbons (PAHs) 92
  - sampling equipment 118-19
  - volatile organic compounds (VOC) 92, 120-1
- Pesticide surveillance index 233
- Pesticides 26, 179
  - carbamate 257
  - degradation of 256
  - organochlorine 328
  - organophosphorus 251, 256, 257
  - personal exposure monitoring 93, 122
  - pyrethroid 93
  - resistance to 263
- pH effects 81, 191, 221
- Phase boundaries, uncertainty in transfer coefficients across 42
- Phenol in urine 325
- Phenylglyoxylic acid (PGA) in urine 327
- Phosphorus dilution in stream systems 135
- Photochemical oxidants 179
- Physico-chemical analytical methods 22
  - for measuring carcinogen + DNA adducts 70
- Piezobalance 98-9, 123
- Piezoelectric portable monitor 123
- Pimephales promelas* 82, 397
- Plants
  - aquatic 73
  - biological markers as indicators of exposure in 72-3
  - exposure to air pollution 23
  - growth reduction in 73
  - terrestrial 72-3
  - uptake estimation 23
- Pneumonia 362
- Pollen transport 188-9
- Pollutant transport modeling 36-9
- Pollution levels, measurement of 196
- Polyacrylamide gels 256
- Polychlorinated biphenyls (PCBs) 93, 122, 179, 189, 336, 358
- Polychlorinated quaterphenyls (PCQs) 337
- Polychlorodibenzofuran (PDCFs) 337
- Polycyclic aromatic hydrocarbons (PAHs) 80, 105, 298
  - personal exposure monitoring 123-4
- Polynuclear aromatic hydrocarbons (PAHs) 26, 69
  - personal exposure monitoring 92
- Polyurethane foam (PUF) 93, 122
- Population health status 196
- Pregnancy 357, 362, 363
- Probability distribution functions 41
- Probability sampling methods 16, 17, 25
- Protein synthesis, inhibition of 255
- Proteins, chemical exposure markers 254-7
- Proton induced X-ray emission analysis (PIXE) 102
- Pyrethroid pesticides 93
- Quality assurance in biological monitoring 58



- Quality control, analytical methods 338
- Quantal effects 375
- Quantitative cytochemistry 252
- Questionnaires, symptom-based 377
- Radioisotopes, atmospheric dispersion of 189–90
- Random dilution models 134–6
- Random mass balance models 134–6
- Random walk techniques 144
- Receptor modeling 186
- Recessive lethal mutations (RLM) 261–2
- Regional-scale climatological concentration and deposition 188
- Regional-scale models, source/receptor relationships 190–1
- Renal-cell carcinoma 316
- Renal failure 383
- Reservoir models 144
- Residence time 136–7
- Resolution methods 141–2
- Respirable suspended particulate matter (RSP) 201
- Respiratory effects 375–6
- Respiratory illness 364
- Retention coefficient 154
- Retention function 152, 154
- Retinol binding protein (RBP) 291, 338
- Risk assessment, biological markers in 76–7
- Risk estimation 52
- Risk model of environmental pollution 9
- River/aquifer interfaces, geographical models 131–49
- River water, estimation of exposure of fish to chemical present in 220
- RNA 254
  - carcinogens binding to 300–4
  - synthesis inhibition 255
- Sample selection techniques 350–2
- Scientific Group on Methodologies for the Safety Evaluation of Chemicals (SGOMSEC) 3
- S-dependent agents 310–11
- Sediment-contaminant transport model 141
- Sensitivity analysis 38, 43
- Sensitivity coefficients 43
- Sensitivity testing 181
- SHAPE model 20, 24, 206
- Silver nitrate/phenoxyethanol 250
- Simulation modeling 20, 183, 191
- Simulation of Human Air Pollution Exposure (SHAPE) model. *See* SHAPE model
- Sister chromatid exchanges (SCEs) 310–18
  - in peripheral lymphocytes 66–7
- Skin cancer 336
- Skin effects 380
- Skin exposure to air pollution 21–2
- SO<sub>2</sub> 81, 190, 200
- SO<sub>4</sub> 190
- Soil/plant transfer coefficients 23
- Soil pollution 23
- Soluble ionic species 104
- Somatochlora cingulata* 264
- Sorption coefficients 168
- Source/receptor relationships, regional-scale models 190–1
- Specific effects 375
- Spectrophotometry 250, 257
- Statistical methods 196, 347–55
- Statistical models 20, 186
- Statistical sampling 350–2
- Stochastic effects 375
- Stratification 14
- Stratified random sample 14
- Streaker sampler 96
- Stream flow models 139–41
- Streeter-Phelps equations 132
- Streptonigrin 311
- Study designs
  - direct approach 15–17
  - indirect approach 17–21
- Styrene 24, 313–14, 317, 326–7
- Sulphate 200
- Supercritical fluid chromatography-MS 230
- Superoxide dismutase (SOD) 358–9
- Surface-acting agents, biological monitoring 335
- Surface water
  - flow equation 146
  - geographical models 131–49
  - models 34
  - see also* Groundwater/surface water relationships
- Survey research methods 25
- Survey response rate 16–17



- Survey techniques 16
- Susceptibility markers 270
- Symptom-based questionnaires 377
- System level effects in aquatic environment 399
- Systemic responses to exposure to chemicals 371-91
- Systemic toxicity
  - epidemiology 373-4
  - methods of assessing 374-85
- Tap water 25
- TEAM study 22, 24, 350-4
- Temperature field equations 173
- Tenax TM personal monitors 24
- Terrestrial ecosystems 23
- Test protocols, development of 107-8, 124
- Tetrachloroethene 337
- Tetrachloroethylene 24
- Thalassemia 360-1
- Thalassia* 400-1, 403
- Thalassia testudinum* 83, 399
- Thermal conductivity detector 250
- Thin layer chromatography (TLC) 250, 256
- Time-allocation data 19-21, 26
- Time-dependent compartment models 156-60
- Time-dependent differential equations 33-4
- Time-dependent diffusion coefficient 143
- Time-dependent models 35
- Time-integrated approach 35
- Time-integrated compartment models 151-61
- Time resolution 12
- Time-weighted summation formula 21
- Tobacco smoke 109, 126, 324-5
- TOC (total organic carbon) 231
- Toronto, TSP concentrations 199-204
- Total Exposure Assessment Methodology (TEAM). *See* TEAM study
- Total human exposure
  - new approaches to measuring 348-9
  - pilot studies 349-50
- Total suspended particulate matter (TSP) 199-204
- Toxic Substances Control Act (TSCA) 1976 365
- Toxicokinetics 52-9
  - and exposure assessment 56-7
  - development of general strategies 57-8
  - factors to be considered in monitoring human exposure 53-4
- Trace elements 101
- Trace gases 94
- Trace metals, atmospheric transport 189
- Transboundary pollution 190
- Transfer coefficients 154, 155, 190
  - uncertainty of 41-2
- Transfer functions 136-7, 153, 154
- Transformation mechanisms for chemicals in subsurface 168
- Transport models
  - data requirements for 167-9
  - long-range 184-7, 189
- Transverse dispersion coefficients 144
- Trichloroacetic acid in urine 338
- 1,1,1-trichloroethanol 24
- Trichloroethene 337, 340
- Trichloroethylene 24
- Triple-quad MS-MS 230
- TSP concentrations. *See* Total suspended particulate matter
- Turbulent-diffusion theory 33
- Two-stage model 40
- Uncertainty of transfer coefficients 41-2
- Urban residence 364
- Urban Scale Study 210
- Urinary excretion 56
- Urine analysis for biological effects of mutagens and carcinogens 71-2
- USSR 195
- Validation 242
  - alternative approaches to 42-3
  - of biological markers 78
- Vinyl chloride 313, 317
- Virtually safe doses (VSD) 244
- Vitamin A 357
- Vitamin C deficiency 362
- Vitamin E 357
- Volatile organic compounds (VOCs) 24, 26, 350, 354
  - personal exposure monitoring 92, 120-1
- Washington Micro-environment Study 205, 210

- Water
  - analysis 228–30
  - chemicals present in 220–2
  - estimation of human exposure to chemicals in 219
  - geographical models 131–49
  - modeling limitations 143–5
  - sampling and analysis to assess exposure 219–32
- Water quality models for various contaminants 134–6
- Water sampling
  - compositing 227
  - extraction/concentration/clean-up methods 227–8
  - locations 223–4
  - processing for analysis 227–8
  - program design 222–5
    - definition of determinants 222
    - required accuracy of analytical results 225
  - times 224
  - treatment and storage 225–6
- Water sub-sampling 227
- Water supply treatment plants 25
- Weather conditions 32
- Weighted probability sampling
  - technique 24
- Wilm's tumour 316
- Wind directions 32–3
- Wind rose 32–3
- Xenobiotics
  - assessment of effects on low-molecular-weight substances 253–4
  - detection of effects on nucleic acids 254
  - determination in insect tissues and organs 249–52
  - enzyme induction by 255, 256
  - enzyme inhibition by 255
  - nucleic acid changes caused by exposure to 254
  - see also* Insects
- X-ray diffraction (XRD) patterns 105–6
- X-ray energy spectroscopy (SAX) 106
- X-ray fluorescence 56, 59, 274
- m*-Xylene 326
- Zagreb, TSP concentrations 199–204

*Index compiled by Geoffrey C. Jones*